





IF IN DOUBT PL ASK!



3D VIEW ONLY FOR REF.



SR	MATERIAL DESCRIPTION	MAKE
1	CONTACTOR	SCHNEIDER
2	SMPS	NHP
3	LIMIT SWITCH	JAY BALAJI
4	PUSH BUTTON	TEKNIK
5	MPCB	SCHNEIDER
6	MOTOR	IMPORTED (TARGET / EQUIVALENT)
7	CABLE	POLYCAB
8	TERMINALS	CONNECTWELL
9	PUSH BUTTON BOX AND PANEL	INHOUSE

SR	PARAMETERS	SYMBOL	SPECIFICATION
1	CAPACITY	C	500 KGS
2	PLATFORM LENGTH	L	1850
3	PLATFORM WIDTH	W	1000
4	POWERPACK	HP	2 HP
5	MIN HEIGHT	H1	1000
6	MAXIMUM HEIGHT	H2	4000
7	LIFT HEIGHT	H	3000
8	RAILING	R	900

1	MOC	M.S	
	FINISH	FRAME	GOLDEN YELLOW ENAMEL PAINT
		SCISSOR	GRAY ENAMEL PAINT
2	LIFT OPERATION	INCHING MODE	
3	LOAD CONSIDERED	UNIFORMLY DISTRIBUTED	
4	USABLE AREA	1750 L x 900 W (APPROX)	
5	OVERALL M/C DIMN	2150 L X 1300 W X 2200H (APPROX)	
6	LIFTING SPEED	2-2.5 M/MIN (APPROX.)	
7	A-THIS IS SCHEMATIC REPRESENTATION ONLY, ACTUAL MACHINE MAY VARY SLIGHTLY.		
8	MOVEMENT SPEED	MANUAL PULL PUSH WITH 2-3 PEOPLE	
9	AUDIO-VISUAL ALARM ON BOTTOM FRAME		
10	LOCATION-INDOOR		

REV.NO.	DESCRIPTION	DATE	DRAWN	CHECK	APP
00	-	-	-	-	-

CUSTOMER- ALL DIMENSIONS ARE IN mm. A4

CO.NO	PRODUCT.NO.
DRAWN	AMITA 01.04.2025
CHECKED	SANTOSH 01.04.2025
APPROVED	PRATIK 01.04.2025

**Lucrative Material Handling Industries**

TITLE: ELE. HYD. SCISSOR LIFT.

SCALE: NTS

DRAWING NO.	SHEET NO.	REV. R0
OCT24-J06-1	1-1	